

# Vorlesung

## Mensch-Maschine-Interaktion

**Albrecht Schmidt**

Embedded Interaction Research Group

LFE Medieninformatik

Ludwig-Maximilians-Universität München

<http://www.hcilab.org/albrecht/>

## Chapter 2

### Basics of HCI and History

- 2.1 Motivation
- 2.2 Principles for UI-Design
- 2.3 Understanding Errors
- **2.4 Consistency**
- 2.5 Basic Models
- 2.6 A Brief History of HCI

# Consistency (1)

- Consistency ...be systematic
  - lexical
  - syntactic
  - semantic levels
- Why consistency?
  - Makes things easier to remember,
  - aids in generalizability,
  - Helps reduce potential for error
- Modeling approach
  - Grammars, e.g. BNF
- Consistent
  - Delete/insert character
  - Delete/insert word
  - Delete/insert line
  - Delete/insert paragraph
- Inconsistent – variant 1
  - Delete/insert character
  - Delete/insert word
  - Remove/insert line
  - Delete/insert paragraph
- Inconsistent - variant 2
  - Take-away/insert character
  - Delete/add word
  - remove/put-in line
  - eliminate/create paragraph
- Inconsistent - variant 3
  - Character deletion/insertion
  - Delete/insert word
  - Line deletion/insertion
  - Delete/insert paragraph



# Consistency (2)

- Lexical Consistency
  - Coding consistent with common usage, e.g.
    - red = bad, green = good
    - left = less, right = more
  - Consistent abbreviation rules
  - equal length or first set of unambiguous chars.
  - Devices used same way in all phases
  - character delete key is always the same
- Syntactic Consistency
  - Error messages placed at same (logical) place
  - Always give command first - or last
  - Apply selection consistently, e.g. select text then apply tool or select tool and then apply to a text
  - Menu items always at same place in menu (muscle memory)



## Consistency (3)

- Semantic Consistency
- Global commands always available
  - Help
  - Abort (command underway)
  - Undo (completed command)
- Operations valid on all reasonable objects
  - if object of class "X" can be deleted, so can object of class "Y"
- Applicability
  - to command line user interfaces
  - Keyboard short cuts
  - Speech interfaces
  - Tool bars
  - Menus
  - Selection operation
  - Gestures



## Consistency through Grammars

- Example – Task-Action-Grammer (TAG)
  - Task[direction,unit]→symbol[direction]+letter[unit]
  - Symbol[direction=forward]→"CTRL"
  - Symbol[direction=backward]→"ALT"
  - Letter[unit=word]→"W"
  - Letter[unit=paragraph]→"P"
- Example - Commands
  - Move cursor on word forward: CTRL-W
  - Move cursor on word backward: ALT-W
  - Move cursor on paragraph forward: CTRL-P
  - Move cursor on paragraph backward: ALT-P



## How does the Format Brush work?




- compare it to bold, italic, underline, ...



## Consistency in GUIs

- Format Brush
  1. place the cursor in the format you want to use
  2. switch the format brush on
  3. mark the area that should get the new format



- Bold face font (1)
  1. Mark the text that should become bold
  2. Click the toolbar button for bold
- Bold face font (2)
  1. Switch bold face font on (Click the toolbar button for bold)
  2. Write text
  3. Switch it of when ready



# Inconsistency

- Dragging file operations?
  - folder on same disk vs. folder on different disk
  - file to trashcan vs. disk to trashcan
- Sometimes inconsistency is wanted
  - E.g. Getting attention for a dangerous operation
  - Use inconsistency very carefully!
- Inconsistency at one level may be consistent at another
  - moving icon to file cabinet, mailbox, or trash causes icon to disappear (Xerox Star)
  - choices for when dragging file icon to printer icon:
    - delete the icon (and thus the file)
    - disappears “in” the printer from where it can be retrieved
    - return icon to original location

## Chapter 2 Basics of HCI and History

- 2.1 Motivation
- 2.2 Principles for UI-Design
- 2.3 Understanding Errors
- 2.4 Consistency
- **2.5 Basic Models**
- 2.6 A Brief History of HCI

# Models & Theories

- What are models and theories used for?
  - explanatory
  - **predictive**
  - descriptive/taxonomy
- Models on different levels
  - concept
  - human action
  - ...
  - dialog
  - keystroke
- What is modelled?
  - user
  - task
  - dialogs
  - transitions
  - software
  - input/output
  - system
  - interaction
  - behaviour
  - ...
  - combination of these



# Example Motivation - Prediction

this amount  of this type of currency  into this type of currency.

enter any amount scroll down for more currencies scroll down for more currencies

<http://www.xe.com/ucc/>

- Convert 712 GBP into EUR
- Hand is on the mouse to start with
- How long will it take?



# Plans and Situated Actions

## Distributed Cognition

- complex interaction between people
- interaction with different devices
- interaction with information in different forms
- complex interaction with the physical environment
- Interruptions as standard phenomenon of live
- Computer usage can not be seen isolated from that
  
- Suchman, 1990
  - human plans are often not orderly executed
  - plans are often adapted or changed
  - user's actions are situated in time and place
  - user's actions are responsive to the environment
  - distributed cognition – knowledge is not just in the user's head it is in the environment

This questions many of the modeling approaches...



Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 13

# Background: The Psychology of

## Everyday Action (Norman 2002, Chapter 2)

- People are blaming themselves for problems caused by design
  - If the system crashes and the user did everything as he is supposed to do the developer/system is blamed
  - If the system crashes and the user operated the system wrongly the user is blamed
  
- People have misconceptions about their actions
  - The model must not be fully correct – it must explain the phenomenon
  
- People try to explain actions and results
  - Random coincidence may lead to assumptions about causality




Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 14

# Action Cycle

- The action is goal directed
  - What do we want to happen?
  - What is the desired state?
- Human action has two major aspects
  - Execution: what we do to the world
  - Evaluation: compare if what happens is what we want



Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 15

# Action Cycle Stages of Execution

- Goal  
translated into
- An intention to act as to achieve the goal  
translated into
- The actual sequence of actions that we plan to do  
translated into
- The physical execution of the action sequence



Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 16

# Action Cycle

## Stages of Evaluation

- Perceiving the state of the worlds  
followed by
- Interpreting the perception according to our expectations  
followed by
- Evaluation of the interpretations with what we expected to happen (original intentions)  
followed by
- Goal




Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 17

# Seven Stages of Action

1. Forming a goal
2. Forming an intention
3. Specifying an action
4. Executing the action
5. Perceiving the system state
6. Interpreting the system state
7. Evaluating the outcome



Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 18

# Gulf of Execution

- The difference between the intentions and the allowable actions is the Gulf of Execution
  - How directly can the actions be accomplished?
  - Do the actions that can be taken in the system match the actions intended by the person?
- Example in GUI
  - The user wants a document written on the system in paper (the goal)
  - What actions are permitted by the system to achieve this goal?
- Good design minimizes the Gulf of Execution



# Gulf of Evaluation

- The Gulf of Evaluation reflects the amount of effort needed to interpret the state of the system how well this can be compared to the intentions
  - Is the information about state of the system easily accessible?
  - Is it represented to ease matching with intentions?
- Example in GUI
  - The user wants a document written on the system in paper (the goal)
  - Is process observable? Are intermediate steps visible?
- Good design minimizes the Gulf of Evaluation



# Implications on Design

- Principles of good design (Norman)
  - Stage and action alternatives should be always visible
  - Good conceptual model with a consistent system image
  - Interface should include good mappings that show the relationship between stages
  - Continuous feedback to the user
- Critical points/failures
  - Inadequate goal formed by the user
  - User does not find the correct interface / interaction object
  - User many not be able to specify / execute the desired action
  - Inappropriate / mismatching feedback

# Fitts' Law


## Predicting Movement Time (MT)

- $MT = a + b \log_2(2A / W)$ 
  - A=amplitude
  - W=width
  - a, b constants dependent on the input device
  - Fitts' law predicts that the time to acquire a target is logarithmically related to the distance over the target size.
  - Fitts, P. M. (1954). The information capacity of the human motor system in controlling the amplitude of movement. *Journal of Experimental Psychology*, 47, 381-391.
- $MT = a + b \log_2(A / W + 1)$ 
  - improvement of the original fitts' law
  - MacKenzie, I. S. (1989). A note on the information-theoretic basis for Fitts' law. *Journal of Motor Behavior*, 21, 323-330.

<http://www.billbuxton.com/fitts91.html>

## Fitts' Law – index of difficulty

- How difficult the motor pointing task is
- ID=Index of Difficulty
- $ID = \log_2(A/W + 1)$
- ID has the unit bits
- $MT = a + b ID$
- a has the unit s
- b has the unit s/bits
- Collect data set and calculate a and b
- a can be negative



linear regression model

## Fitts' law in practice

- $MT = a + b \log_2((A/W) + 1)$
- A = distance from starting position
- W = size of target along line of motion (for a 2-D target use smaller of height or depth)
- Common values a=50ms, b=150ms/bit
- Jef Raskin, The Humane Interface, ACM Press 2000, p93-94

## Experimental data for pointing devices

$MT = a + b ID$ , where  $ID = \log_2(A/W + 1)$ .

### Regression Coefficients

Device	$r^a$	Intercept, $a$ (ms)	Slope, $b$ (ms/bit)	$IP$ (bits/s) <sup>b</sup>
*** Pointing ***				
Mouse	.990	-107	223	4.5
Tablet	.988	-55	204	4.9
Trackball	.981	75	300	3.3
*** Dragging ***				
Mouse	.992	135	249	4.0
Tablet	.992	-27	276	3.6
Trackball	.923	-349	688	1.5

<sup>a</sup>  $n = 16$ ,  $p < .001$

<sup>b</sup>  $IP$  (index of performance) =  $1/b$

- From <http://www.billbuxton.com/fitts91.html>  
Mackenzie, I. S., Sellen, A., & Buxton, W. (1991). A comparison of input devices in elemental pointing and dragging tasks. *Proceedings of the CHI '91 Conference on Human Factors in Computing Systems*, pp. 161-166. New York: ACM.

## Hick's Law

- The time needed to make a selection is proportional to the log number of alternatives given
- $H$  is the information-theoretic entropy of a decision
- $T = b H$

- $n$  alternatives of equal probability  
 $H = \log_2(n + 1)$ .
- Alternatives of unequal probability  
 $p_i$  = the probability of alternative  $i$   
 $H = \sum p_i \log_2(1/p_i + 1)$ .
- Common practical values:  $b=150$  ms/bit
- <http://www.usabilityfirst.com>

Hick's law does not apply if it requires linear search (e.g. a randomly ordered list of commands in a menu). It applies if the user can search by sub-division

## Object-Action Interface Model (OAI)

- Targeted at GUIs and applications in real world domains
  
- Steps
  1. Understanding the task, including
    - Universe of the real world, objects, atoms
    - Actions user can apply to objects, intention to steps
  2. Create a metamorphic representation of interface objects and actions
    - Object representation – metaphor to pixel
    - Actions – from plan level to specific clicks

<http://www.cs.umd.edu/class/fall2002/cmsc838s/tichi/oai.html>



Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 27

## GOMS

### Goals, Operators, Methods, Selection Rules

- GOMS techniques produce quantitative and qualitative predictions of how people will use a proposed system
- Different models proposed
- Basics:
  - Goals – goal a user wants to accomplish (in real scenarios hierarchical)
  - Operators – operation (at a basic level) that are used to achieve a goal
  - Methods – sequence of operators to achieve a goal
  - Selection Rules – selection of method for solving a goal (if alternatives are given)
  
- John, B. & Kieras, D. (1996). Using GOMS for user interface design and evaluation: which technique? *ACM Transactions on Computer-Human Interaction*, 3, 287-319.



Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 28


## Example (adapted from Dix 2004, p. 423): Close the window that has the focus (Windows XP)

- Compare three options:

**ALT + F4** Key-shortcut



Context-menu



Close-button

```

GOAL: CLOSE-WINDOW
. [select GOAL: USE-KEY-SHORTCUT
. . . hold-ALT-key
. . . press-F4-key
. . . GOAL: USE-CONTEX-MENU
. . . Move-mouse-win-head
. . . Open-menu (right click)
. . . Left-click-close
. . . GOAL: USE-CLOSE-BUTTON
. . . Move-mouse-button
. . . Left-click-button]
    
```

Rule 1: USE-CLOSE-BUTTON method if no other rule is given

Rule 2: USE-KEY-SHORTCUT method if no mouse is present

## Example (adapted from Dix 2004, p. 424): copy a journal article

```

GOAL: PHOTOCOPY-PAPER
. GOAL: LOCATE-ARTICLE
. GOAL: COPY-PAGE repeat
  until no more pages
.   GOAL: ORIENT-PAGE
.   . OPEN-COVER
.   . SELECT-PAGE
.   . POSITION-PAGE
.   . CLOSE-COVER
.   GOAL: PRESS-COPY
.   GOAL: VERIFY-COPY
.   . LOCATE OUTPUT
.   . EXAMINE COPY
.   GOAL: COLLECT-COPY
.   . LOCATE OUTPUT
.   . REMOVE-COPY
.   . (outer goal satisfied!)
.   GOAL: RETRIEVE-ORIGINAL
.   . OPEN-COVER
.   . TAKE-ORIGINAL
.   . CLOSE-COVER
    
```

Likely that the users forget this

## Example (adapted from Dix 2004, p. 430):

### Example of a Cash-Machine

Why you need to get your card before the money.

- Design to lose your card..
- Design to keep your card..

GOAL: GET-MONEY

. GOAL: USE-CASH-MACHINE

. . INSERT-CARD

. . ENTER-PIN

. . SELECT-GET-CASH

. . ENTER-AMOUNT

. . COLLECT-MONEY

(outer goal satisfied!)

. . COLLECT-CARD

GOAL: GET-MONEY

. GOAL: USE-CASH-MACHINE

. . INSERT-CARD

. . ENTER-PIN

. . SELECT-GET-CASH

. . ENTER-AMOUNT

. . COLLECT-CARD

. . COLLECT-MONEY

(outer goal satisfied!)



Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 31

## GOMS - Example

In order to understand GOMS models that have arisen in the last decade and the relationships between them, an analyst must understand each of the components of the model (goals, operators, methods, and selection rules), the concept of level of detail, and the different computational forms that GOMS models take. In this section, we will define each of these concepts; in subsequent sections we will categorize existing GOMS models according to these concepts.

Figure 1. The example task: editing a marked-up manuscript.

- From: John, Bonnie and Kieras, David E., The GOMS Family of User Interface Analysis Techniques: Comparison and Contrast, *ACM Transactions on Computer-Human Interaction* 3,4 (December 1996b), 320-351



Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 32

# Keystroke-Level Model (KLM)

- simplified Analysis
- only operators on keystroke-level
- no goals, no methods, no selection rules
- list of basic operators to do a task
  - keystrokes or button presses (K),
  - pointing with the mouse to a target (P),
  - hand movement between mouse and keyboard (H)
  - mental operators (M) – placed by heuristics
  - Drawing (D)
  - System response (R)
- Card, S. K., Moran, T. P., and Newell, A. 1980. The keystroke-level model for user performance time with interactive systems. *Commun. ACM* 23, 7 (Jul. 1980), 396-410.



# Times for basic operators

Operator	Description and Remarks	Time (sec)
K	Keystroke or button press. Pressing the SHIFT or CONTROL key counts as a separate K operation. Time varies with the typing skill of the user; the following shows the range of typical values:	
	Best typist (135 wpm)	.08 <sup>a</sup>
	Good typist (90 wpm)	.12 <sup>a</sup>
	Average skilled typist (55 wpm)	.20 <sup>a</sup>
	Average non-secretary typist (40 wpm)	.25 <sup>b</sup>
	Typing random letters	.50 <sup>a</sup>
P	Pointing to a target on a display with a mouse. The time to point varies with distance and target size according to Fitts's Law. The time ranges from .8 to 1.5 sec, with 1.1 being an average time. This operator does not include the button press that often follows (.2 sec).	1.10 <sup>c</sup>
	Homing the hand(s) on the keyboard or other device.	.40 <sup>d</sup>
D( $n_D, l_D$ )	Drawing (manually) $n_D$ straight-line segments having a total length of $l_D$ cm. This is a very restricted operator; it assumes that drawing is done with the mouse on a system that constrains all lines to fall on a square .50 cm grid. Users vary in their drawing skill; the time given is an average value.	$.9n_D + .16l_D^e$
M	Mentally preparing for executing physical actions.	1.35 <sup>f</sup>
R( $t$ )	Response of $t$ sec by the system. This takes different times for different commands in the system. These times must be input to the model. The response time counts only if it causes the user to wait.	$t$

- Experimentally measured
- From: Card, S. K., Moran, T. P., and Newell, A. 1980. The keystroke-level model for user performance time with interactive systems. *Commun. ACM* 23, 7 (Jul. 1980), 396-410.



## Basic time estimation

Operator	Remarks	Time(sec)
K	Press Key	
	good typist(90wpm)	0.12
	poor typist(40wpm)	0.28
	non-typist	1.20
B	Mouse button press	
	down or up	0.10
	click	0.20
P	Point with mouse	
	Fitts's law	$0.1\lg(D/S + 0.5)$
	Average movement	1.10
H	Home hands to and from keyboard	0.40
D	Drawing- domain-dependent	
M	Mentally prepare	1.35
R	Response from sytem - measure	

- [http://www.cc.gatech.edu/classes/cs6751\\_97\\_winter/Topics/user-model/](http://www.cc.gatech.edu/classes/cs6751_97_winter/Topics/user-model/)  
Dix et al. page: 438



## Calculate overall time required

- $T_{\text{task}} = T_{\text{acquire}} + T_{\text{execute}}$
- $T_{\text{execute}} = T_K + T_B + T_P + T_H + T_D + T_M + T_R$ 
  - $T_K$  = time for key presses
  - $T_B$  = time for button presses / clicks
  - $T_P$  = time for pointing
  - $T_H$  = time moving hand between mouse and keyboard
  - $T_D$  = time for drawing
  - $T_M$  = time for mentally preparing
  - $T_R$  = time for system response



# Example

- Start the command shell in windows
- What to do?
  - Click 'Start'
  - Click 'Execute'
  - Think of command
  - Type 'cmd'
  - hit 'return key'
- KLM
  - P[to start] 1,10s
  - B[left click] 0,20s
  - P[to execute] 1,10s
  - B[left click] 0,20s
  - H 0,40s
  - M 1,35s
  - K[c] 0,28s
  - K[m] 0,28s
  - K[d] 0,28s
  - K[return] 0,28s

**5,47s**
- $T = 2 * P + 2 * B + 4 * K + H + M$



# KLM - Example

this amount  of this type of currency 

- Euro - EUR
- United States Dollars - USD
- United Kingdom Pounds - GBP
- Canada Dollars - CAD
- Australia Dollars - AUD

 scroll down for more currencies into this type of currency. 

- United States Dollars - USD
- Euro - EUR
- United Kingdom Pounds - GBP
- Canada Dollars - CAD
- Australia Dollars - AUD

 scroll down for more currencies

<http://www.xe.com/ucc/>

- Convert 712 GBP into EUR
- Hand is on the mouse to start with



# KLM – Example result

- P[to input field]
  - B[click]
  - H[to keyboard]
  - M[consider number]
  - 4K[BSP-7-1-2]
  - H[to mouse]
  - M[consider currency]
  - P[to GBP]
  - B[click]
  - M[consider currency]
  - P[to EUR]
  - B[click]
  - P[to convert]
  - B[click]
  - R[show page with result]
- 4\*P = 4,40s
  - 4\*B = 0,80s
  - 2\*H = 0,80s
  - 3\*M = 4,05s
  - 4\*K = 1,12s
  - 1\*R = 1,00s
  - Summe= 12,17s



## Further reading User Interface Design With Matrix Algebra Harold Thimbleby

ACM Transactions on Computer-Human Interaction, Vol. 11, No. 2, June 2004, Pages 181–236.

- Algebra analysis of interactive systems
- Proving properties of interactive systems



Finite state machines (FSMs)

a. Light with push-on/push-off action.

b. Light with separate on/off actions.

States as vectors:

on (1 0)

off (0 1)

Actions as Matrix:

$$\boxed{\text{PUSH}} = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$$

Press the button when off results in on

$$\text{off } \boxed{\text{PUSH}} = (0 \ 1) \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$$

$$= (1 \ 0)$$

$$= \text{on}$$

Press the button twice does not alter the state

$$\boxed{\text{PUSH}} \boxed{\text{PUSH}} = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$$

$$= \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$$

$$= I$$



## Chapter 2

# Basics of HCI and History

- 2.1 Motivation
- 2.2 Principles for UI-Design
- 2.3 Understanding Errors
- 2.4 Consistency
- 2.5 Basic Models
- **2.6 A Brief History of HCI**



## Evolution of HCI 'interfaces'

- **50s** - Interface at the hardware level for engineers - switch panels
- **60-70s** - interface at the programming level - COBOL, FORTRAN
- **70-90s** - Interface at the terminal level - command languages
- **80s** - Interface at the interaction dialogue level - GUIs, multimedia
- **90s** - Interface at the work setting - networked systems, groupware
- **00s** - Interface becomes pervasive
  - RF tags, Bluetooth technology, mobile devices, consumer electronics, interactive screens, embedded technology



## Student Project

<http://www.hcilab.org/projects/historybook/>

### HUMAN COMPUTER INTERACTION

*a brief history*

Intro

the first mouse::1963

Xerox Alto's 3-button-mouse::1973

the first commercial mouse::1981

**Lisa mouse::1983** ◀

Macintosh with mouse::1984

rubberball::1985

trackball::1989

radio mouse::1991

3D mouse::1992

scrollwheel::1996

USB mouse::1997

optical mouse::1999

ID mouse::2001

optical radiomouse::2001

#### 1983 Apples Lisa erscheint mit Maus

In January 1983 Apple releases "Lisa" the first mouseoperated personal computer. This highly praised computer indeed was no success as well. Again because of its high price with 10.000,-\$ no "normal people" could afford it.



By the way apples mouse was produced by Logitech with only one key, and it still macs get along with only one key on their latest mice.

Insert punchcard here



Fertig Arbeitsplatz


Start DE 10:08

**Key:**


- ▬ University Research
- ▨ Corporate Research
- ▭ Commercial Products

*From B. Myers  
"Brief History of HCI"*


#### Direct Manipulation of Graphical Objects




#### The Mouse




#### Windows




#### Text Editing



#### HyperText



#### Gesture Recognition



Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany


MMI 2005/2006

Slide 44

# VisiCalc - Widespread use of an Interactive Application




VisiCalc Screen, early Alpha 1/4/79



First version of VisiCalc screenshot

- Instantly calculating electronic spreadsheet
- Early killer app for PCs
- Significant value to non-technical users

## A VISICALC™ Screen:



# Changing Interaction Paradigms

- Replacement of command-language
- Direct manipulation of the objects of interest
- Continuous visibility of objects and actions of interest
- Graphical metaphors (desktop, trash can)
- Windows, icons, menus and pointers
- Rapid, reversible, incremental actions
  
- Origins of direct manipulation an graphical user interfaces
  - Ivan Sutherland's Sketchpad, 1963, object manipulation with a light pen (grabbing, moving, resizing)
  - Douglas C. Engelbart, 1968, Mouse, NLS
  - XEROX ALTO (50 units at Universities in 1978)
  - XEROX Star (1981)
  - Apple Macintosh (1984)




Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 47

# XEROX ALTO



Photos from  
<http://members.fortunecity.com/pcmuseum/alto.html>

<b>Start</b>	<p><b>Ready:</b> Select file names with the mouse Red-Copy, Yel-Copy/Rename, Blue-Delete Click Start to execute file name commands</p>	<p><b>Quit</b> <b>Clear</b> <b>Type</b></p>
<p>Pages: 832 Files listed: 40 Files selected: 0 Copy/Rename: 0</p>	<p><b>Log</b></p> <p>Delete: 0 Copy: 0</p>	<p>Pages: 0 Files listed: 0 Files selected: 0 Copy/Rename: 0</p>
<p>Disk: (SysDir) *.*</p> <pre>-- BEGINNING -- 1012-AstroRoads.Boot. Anonymous.1. BattleShip.pr. BattleShip.RUN. BlockBook.RUN. BuildKalc.m. CalcSource.m. Calculator.RUN. Chess.log. Chess.run. Cov.Cm. CompileKalc.m. DR TEST.RUN. DMT.boot. EdsBuild.run. express.run. Executive.Run. Fly.run. galaxian.boot. Garbage.\$ GoX.run. GoFont.AL. Invaders.Run. junk. junk.press. Kalc.pl. Kalc.m. Kalc.m.m. Kalc.m.m. Kinetics.RUN. LoadKalc.m. MasterMind.RUN. maze.run. Meta.TypeScript. Mosaic.run. NEPTUNE.RUN. othello.run. Pinball-ency.run. POLYCONS.RUN.</pre>		<p>No Disk: (SysDir) *.*</p>




Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006


Slide 48

# XEROX Star




Photos from <http://members.fortunecity.com/pcmuseum/alto.html>


# Apple Macintosh




1984 – commercially successful GUI



## More GUIs



Amiga 1985



NextStep 1989



Win 3.11 1992



OS/2 1992

## Lessons Learned from History

- Technology drives new user interface concepts and interaction metaphors
- New user interfaces create new applications
- Designs and user interface concepts evolve
- You can not hide the user interface - good ideas spread out
- The first to come out with a new user interface is not necessarily the most successful
- Technologies to look out for?
  - Eye gaze detection
  - Speech and gesture recognition
  - EEG, ECG, EMG interfaces (e.g. <http://www.biosemi.com/products.htm>)  
ElectroEncephaloGraphy, ElectroCardioGraphy, ElectroMyoGraphy



[http://smart.tii.se/smart/projects/brainball/index\\_en.html](http://smart.tii.se/smart/projects/brainball/index_en.html)

INTERACTIVE INSTITUTE

home | projects | publications | events | people | partners | press | news
☰ ☰ ☰

**projects**

[>> project page](#)  
[>> what is a project?](#)

---

:: ongoing (start dates)

2004-01 [Touching the Invisible](#)  
2002-09 [RemoteHome](#)  
2002-06 [Meta L. Hyttan](#)  
2001-08 [occular witness](#)  
2000-01 [dysfunctional things](#)

---

:: completed 2003

2003-06 [plentycast](#)  
2003-03 [responsive field of lattice archipelogics](#)  
2003-02 [the catcher](#)

---

:: completed 2002

2002-12 [amoeba](#)  
2002-12 [photo messenger](#)

**brainball**

*Brainball: Winning by Relaxing.*

**Brainball is a game where you compete in relaxation. The players' brainwaves control a ball on a table, and the more relaxed scores a goal over the opponent.**

>> To buy commercialized version: [mindball.se](http://mindball.se)

---

Brainball is a game that goes against the conventional competitive concept, and also reinvents the relationship between man and machine. Instead of activity and adrenalin, it is passivity and calmness that mark the truly successful Brainball player. Brainball is unique amongst machines since it is not controlled by the player's rational and strategic thoughts and decisions. On the contrary, the participants are dependent on the body's own intuitive reactions to the game machine.

**start:** Aug 1999

**end:** Jun 2000

**publications:**

- [Brainball - using brain activity for cool competition](#)
- [The making of brainball](#)

**project leader:**

[Magnus Jonsson](#)

**project team:**

- [Olof Bendt](#)
- [Thomas Broomé](#)
- [Lennart Andersson](#)
- [Aurelian Bria](#)
- [Carolina Browall](#)
- [Esbjörn Eriksson](#)

Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 53

## References

- D. A. Norman. The Design of Everyday Things. Basic Books 2002. ISBN: 0465067107
- B. Shneiderman. Designing the User Interface: Strategies for Effective Human-Computer Interaction , Third Edition. 1997. ISBN: 0201694972
- L. Suchman, Plans and situated action. 1990
- Alan Dix, Janet Finlay, Gregory Abowd and Russell Beale. (1998) Human Computer, Interaction (second edition), Prentice Hall, ISBN 0132398648 (new Edition announced for October 2003)
- Jef Raskin, The Humane Interface, ACM Press 2000
- Brad A. Myers. "A Brief History of Human Computer Interaction Technology." *ACM interactions*. Vol. 5, no. 2, March, 1998. pp. 44-54.  
<http://www-2.cs.cmu.edu/~amulet/papers/uihistory.tr.html>
- Software Arts and VisiCalc  
<http://www.bricklin.com/history/intro.htm>
- A. Cooper. About Face 2.0: Chapter 1 - Goal-Directed Design  
[http://media.wiley.com/product\\_data/excerpt/13/07645264/0764526413.pdf](http://media.wiley.com/product_data/excerpt/13/07645264/0764526413.pdf)

Albrecht Schmidt  
Embedded Interaction Research Group  
University of Munich, Germany

MMI 2005/2006

Slide 54